



JAC T9

 FULLY  
EQUIPPED

  
CROWN  
CANOPIES



ENDURING  
THE KIWI  
LIFESTYLE

Engineered from a hand-laid GRP shell, the Crown Canopy is a strong, impact-resistant extension of the vehicle that gives you a frameless 100kg dynamic load rating straight out of the box, maximising your tray space. Painted with a smooth high-gloss finish, colour-matched to your ute and customisable with window options for whatever job or weekend you're on.

### Designed for roof racks

The Crown Canopy is designed with Roof Racks in mind. A recessed, low profile Roof Rack channel is built into the canopy roof. Guaranteeing consistent load transfer from the cab to the roof of the canopy, if roof racks or a tray were to be fitted. A subtle raised edge running each side of the canopy hides the in-built channel. Leaving the edges of the Crown Canopy to remain uninterrupted by a roof rack system.

### Every piece counts

The fine details are what sets the Crown Canopy apart. An exterior trim runs the length of the skirting to support the base rail membrane that seals the canopy to the wellside. Similarly, around the windows, a foam core seal not only maintains adhesion but absorbs the stress movement puts on the window fixings. Custom rubber window frame seals ensure a controlled setting gap and provide a vibration barrier for paint protection.

### Handmade attention to detail

Design, craftsmanship and more than 30 years of experience come together in the factory to deliver masterful canopy building. In a temperature-controlled environment, every Crown Canopy is made using hand-laid GRP, Glass Reinforced Plastic construction, a time-consuming process known to result in superior strength, rigidity and longevity. On the road it all comes together. A solid, robust mounting platform, distributing any load carried across the entire surface.

### Certified strength and safety

The Crown Canopy has withstood stringent strength and safety testing to simulate the pressures of a dynamic load. Replicating wind shear, a severe change in direction and a critical stop. The superior strength and rigidity of our GRP construction surpassed the Australian loading standard of 100kgs without the need for any internal framing. Not only does this provide substantial roof capacity but maximises useable tray space.



A recessed, low profile Roof Rack channel is built into the canopy roof.



Window options include, lift-up, sliding, or a combination. Along with vents, mesh and lighting.



The fibreglass shell eliminates the need for internal framing, maximising useable space.

**Hamilton (Head Office)**

2 Tasman Rd, Te Rapa  
Phone: 07 850 7000  
Email: [sales@fullyequipped.co.nz](mailto:sales@fullyequipped.co.nz)

**Wellington**

453 Hutt Rd, Alicetown  
Phone: 04 569 1343  
Email: [sales.wel@fullyequipped.co.nz](mailto:sales.wel@fullyequipped.co.nz)

**Dunedin**

13 Gladstone Rd Sth, Mosgiel  
Phone: 03 453 6555  
Email: [chris@midwaymotors.co.nz](mailto:chris@midwaymotors.co.nz)

**Auckland**

1 Sir William Ave, East Tamaki  
Phone: 09 272 9777  
Email: [sales.akl@fullyequipped.co.nz](mailto:sales.akl@fullyequipped.co.nz)

**Christchurch**

8/48 Fitzgerald Ave, Christchurch Central  
Phone: 03 379 4493  
Email: [sales.can@fullyequipped.co.nz](mailto:sales.can@fullyequipped.co.nz)

**Brisbane**

75 Kabi Cct, Deception Bay  
Phone: 07 3203 2212  
Email: [sales.bris@fullyequipped.com.au](mailto:sales.bris@fullyequipped.com.au)